



## Georgetown Township Fire Department

Date: October 3, 2006  
To: Supervisor Holland  
Subject: Monthly Fire Runs

The Georgetown Township Fire Department responded to a total of 48 runs for the month of September 2006, with an average response time of 5.37.

Dan Hamming  
Georgetown Township Fire Chief

# Georgetown Fire Dept

## Incident List by Alarm Date/Time

**Alarm Date Between {09/01/2006} And {09/30/2006}**

<b>Incident-Exp#</b>	<b>Alm Date</b>	<b>Alm Time</b>	<b>Location</b>	<b>Incident Type</b>
06-0000351-000	09/01/2006	08:34:00	7345 Brewer DR	321 EMS call, excluding vehicle
06-0000350-000	09/01/2006	13:11:00	695 Carriage LN	412 Gas leak (natural gas or
06-0000349-000	09/01/2006	14:30:00	7201 Heathcross DR	561 Unauthorized burning
06-0000353-000	09/02/2006	13:37:00	624 Port Sheldon ST	321 EMS call, excluding vehicle
06-0000352-000	09/02/2006	22:23:00	9425 40th AVE	100 Fire, Other
06-0000354-000	09/04/2006	16:11:00	2211 Tyler ST	561 Unauthorized burning
06-0000355-000	09/05/2006	16:53:00	2882 Green Meadow CT	143 Grass fire
06-0000358-000	09/06/2006	10:40:00	868 Baldwin ST	321 EMS call, excluding vehicle
06-0000357-000	09/06/2006	14:05:00	Walnut AVE & Baldwin ST	600 Good intent call, Other
06-0000361-000	09/07/2006	09:17:00	6651 Brookwood DR	321 EMS call, excluding vehicle
06-0000360-000	09/07/2006	10:06:00	7811 Cottonwood DR	321 EMS call, excluding vehicle
06-0000359-000	09/07/2006	10:42:00	420 Baldwin ST	733 Smoke detector activation
06-0000346-000	09/07/2006	17:30:00	3501 Baldwin ST	730 System malfunction, Other
06-0000362-000	09/08/2006	10:30:00	7498 Bayview AVE	321 EMS call, excluding vehicle
06-0000347-000	09/08/2006	14:00:00	2183 Pinewood ST /Jenison,	112 Fires in structure other
06-0000363-000	09/09/2006	00:26:00	7100 Georgetown AVE	631 Authorized controlled
06-0000364-000	09/09/2006	03:17:00	1887 Elizabeth LN	321 EMS call, excluding vehicle
06-0000348-000	09/12/2006	13:00:00	3946 Katie CT	661 EMS call, party transported
06-0000356-000	09/12/2006	16:00:00	5901 22nd AVE	511 Lock-out
06-0000365-000	09/12/2006	19:10:00	141 Port Sheldon ST	744 Detector activation, no fire
06-0000367-000	09/13/2006	12:43:00	Cottonwood DR & Maplewood	352 Extrication of victim(s)
06-0000370-000	09/16/2006	11:30:00	725 Baldwin ST	321 EMS call, excluding vehicle
06-0000369-000	09/16/2006	15:00:00	8582 Cedar Lake DR	421 Chemical hazard (no spill or
06-0000368-000	09/16/2006	15:44:00	2206 Pine Ridge DR	745 Alarm system activation, no
06-0000366-000	09/16/2006	23:00:00	7467 Alycia DR	131 Passenger vehicle fire
06-0000371-000	09/17/2006	19:48:00	7124 Heatherwood DR	736 CO detector activation due
06-0000372-000	09/17/2006	23:09:00	1195 Port Sheldon ST	440 Electrical wiring/equipment
06-0000373-000	09/18/2006	08:20:00	Baldwin ST & Belvue LN	463 Vehicle accident, general
06-0000374-000	09/19/2006	12:03:00	\ Bauer RD	561 Unauthorized burning
06-0000375-000	09/20/2006	18:29:00	725 Baldwin ST	311 Medical assist, assist EMS
06-0000376-000	09/20/2006	19:24:00	Chicago DR & Cottonwood DR	413 Oil or other combustible
06-0000393-000	09/21/2006	12:00:00	3835 Baldwin ST	700 False alarm or false call,
06-0000377-000	09/21/2006	13:03:00	5005 40th AVE	321 EMS call, excluding vehicle
06-0000379-000	09/21/2006	13:58:00	2101 Baldwin ST	321 EMS call, excluding vehicle
06-0000378-000	09/21/2006	15:35:00	Cottonwood DR & Oakcrest	322 Motor vehicle accident with
06-0000380-000	09/22/2006	04:14:00	6610 Meadowlark DR	321 EMS call, excluding vehicle
06-0000385-000	09/22/2006	14:54:00	48th AVE & Van Buren ST	463 Vehicle accident, general
06-0000384-000	09/23/2006	08:52:00	9500 Henry AVE	111 Building fire
06-0000381-000	09/24/2006	17:19:00	Fillmore ST & 24th AVE	463 Vehicle accident, general
06-0000382-000	09/25/2006	03:28:00	1298 Astro CT	321 EMS call, excluding vehicle
06-0000383-000	09/25/2006	13:50:00	3527 Stephanie DR	561 Unauthorized burning
06-0000386-000	09/26/2006	19:17:00	20th AVE & Baldwin ST	413 Oil or other combustible
06-0000389-000	09/26/2006	19:37:00	7775 20th AVE	561 Unauthorized burning
06-0000387-000	09/27/2006	16:11:00	7396 Sandlewood AVE	321 EMS call, excluding vehicle
06-0000388-000	09/28/2006	08:12:00	Chicago DR & 18th AVE	463 Vehicle accident, general
06-0000391-000	09/29/2006	11:35:00	2927 Wentward CT N	321 EMS call, excluding vehicle
06-0000390-000	09/29/2006	16:09:00	22nd AVE & Van Buren ST	463 Vehicle accident, general

Georgetown Fire Dept

Incident List by Alarm Date/Time

Alarm Date Between {09/01/2006} And {09/30/2006}

---

<u>Incident-Exp#</u>	<u>Alm Date</u>	<u>Alm Time</u>	<u>Location</u>	<u>Incident Type</u>
06-0000392-000	09/29/2006	19:44:00	3447 Meadow Glenn DR	440 Electrical wiring/equipment

Total Incident Count 48

# Georgetown Fire Department

## Maintenance Report

### September 2006

#### Calls

EMS: 6  
Alarms: 1  
CO:  
Spills: 4  
Others: 5

#### Education

#### Miscellaneous

Work on pressure testing machine  
Help water dept with valve traffic for valve turning (2.0 hours)  
Replace burnt out light on tailboard of 825  
Set timers for parking lot lights  
Adjust sprinkling times  
Work on station 1 fax machine  
SCBA checks at station 3  
New fittings to replace old 4 inch connections installed on engine 821, 825.  
New SCBA tags for mask to be identified  
New batteries for AED  
New batteries for SCBA Pass devices  
Reimburse equipment  
Work on weeding stations  
Move equipment  
Get station ready for fire prevention week  
New oil dry  
Replace parking lot light and flag light at station 2  
SCBA checks at all stations  
Help cemetery cut grass ( 7.0)  
Lights repaired in 831  
Light bulbs replaced on 825  
New Pigtail for fan on 825  
Replaced belts for fans at station 2

# Georgetown Township Fire Department Fire Inspector Activity Report

## September 2006

### Calls

FIRE:	03
ALARM:	01
MEDICAL:	09
PI:	01
PI PIN-IN:	
CO:	
U-BURN:	03
SPILL:	04
OTHER:	01
TOTAL:	22

### Inspections

INSPECTIONS:	04
FOLLOW UP:	16
COMMERCIAL WITH PCI:	08
ZONING COMPLIANCE:	04
TOTAL:	32

### Education

- September 12 – 15: 57<sup>th</sup> Annual Michigan Fire Inspectors Society Fall Educational Seminar. This was held at the Kellogg Hotel & Conference Center, Michigan State University, East Lansing.

### Fire Investigation and Follow Up

## Other

- Update the Campus View Apartment and Townhouse map. Fax updated map to Dave Fontaine at OCCDA and distribute copies to each of the Stations.
- Met with John VanderMolen at Cottonwood Day Care Center. This was to go over the states requirement on the corridor doors fire rating and their requirement on smoke detector placement.
- Drop off the Knox Box application to Mike at the Georgetown Ice Arena.
- Went over hand tool placement on Engine 826 with Captain McIntyre and F. F. Dave Butler prior to our factory visit at HME to go over new Engine 821.
- Contacted a local State Fire Inspector reference the smoke detector placement issue at Cottonwood Day Care. I expressed my concern about the state plan review requirements of two detectors per room and going beyond the code requirements. He stated he would check into it and get back to me. Upon doing the final fire alarm test with PCI and Fire Pros it was noted the smoke detectors that were in place passed the State Fire Inspectors inspection and no additional detectors were needed.
- Distribute hose testing spec sheets to each station.
- Attend monthly meeting at Station 3 with Chief Hamming and F. F. Matt DeWitt.
- Pickup medical supplies from Station 1 and bring to Station 2 for Engine 824.
- Met with Dave Koster from Georgetown Bible Church reference cable barricades across the new fire lane on the east side of the church building. These will be eliminated and no parking fire lane signs will be installed as an approved alternate.
- Went around to our local schools setting up our upcoming Fire Prevention Week visits.
- Went over the minutes of the upcoming Planning Commission Meeting agenda. Nothing new.
- Went around to the stations to get the number of AED's we have along with their model numbers and serial numbers for Chief Hamming.
- Stopped by Freedom Early Learning Center and gave Kari Huckaby information on fire hand pull protective covers.
- Type up P. R. Event postings and posted them in the stations.
- Type up and distribute the Fire Prevention Committee meeting notes and distributed them to the committee members.
- Type up memo to Doug Stalsonburg, Exxel Engineering, reference fire hydrant placement for Phase 7 at Campus View Townhouses.
- Research the Electrical Code reference the proper mounting of relocatable power taps (fused surge protectors).

- The new Knox Box was installed at the Georgetown Ice Arena. Went there and put the keys in it and locked it up.
- Deputy Chief Poolman and I started work on a presentation for our local churches on what the code requirements are for "Assembly Occupancies". We are looking at this as a proactive approach to these requirements and how they can assist us when they have their special events during the holiday season.
- Met Rob at Georgetown Elementary School to put new keys in their Knox Box.
- Met with the new property manager and maintenance man at Riverbend Apartments.
- Filed inspection reports received from Fire Pros for the businesses that they did in Georgetown Twp.
- Researched and made a listing of all the Churches in Georgetown Township for our upcoming fire safety presentation for these facilities.
- Compile the student count for all the scheduled schools that we'll be visiting during Fire Prevention Week, October 9 - 13.
- Chief Hamming, Capt. McIntyre and I met with John Turner at HME to inspect new Engine 821.

# Georgetown Township Fire Department Fire Inspector Activity Report

## September 2006

### Calls

FIRE:	03
ALARM:	01
MEDICAL:	09
PI:	01
PI PIN-IN:	
CO:	
U-BURN:	03
SPILL:	04
OTHER:	01
TOTAL:	22

### Inspections

INSPECTIONS:	04
FOLLOW UP:	16
COMMERCIAL WITH PCI:	08
ZONING COMPLIANCE:	04
TOTAL:	32

### Education

- September 12 – 15: 57<sup>th</sup> Annual Michigan Fire Inspectors Society Fall Educational Seminar. This was held at the Kellogg Hotel & Conference Center, Michigan State University, East Lansing.

### Fire Investigation and Follow Up

## Other

- Update the Campus View Apartment and Townhouse map. Fax updated map to Dave Fontaine at OCCDA and distribute copies to each of the Stations.
- Met with John VanderMolen at Cottonwood Day Care Center. This was to go over the states requirement on the corridor doors fire rating and their requirement on smoke detector placement.
- Drop off the Knox Box application to Mike at the Georgetown Ice Arena.
- Went over hand tool placement on Engine 826 with Captain McIntyre and F. F. Dave Butler prior to our factory visit at HME to go over new Engine 821.
- Contacted a local State Fire Inspector reference the smoke detector placement issue at Cottonwood Day Care. I expressed my concern about the state plan review requirements of two detectors per room and going beyond the code requirements. He stated he would check into it and get back to me. Upon doing the final fire alarm test with PCI and Fire Pros it was noted the smoke detectors that were in place passed the State Fire Inspectors inspection and no additional detectors were needed.
- Distribute hose testing spec sheets to each station.
- Attend monthly meeting at Station 3 with Chief Hamming and F. F. Matt DeWitt.
- Pickup medical supplies from Station 1 and bring to Station 2 for Engine 824.
- Met with Dave Koster from Georgetown Bible Church reference cable barricades across the new fire lane on the east side of the church building. These will be eliminated and no parking fire lane signs will be installed as an approved alternate.
- Went around to our local schools setting up our upcoming Fire Prevention Week visits.
- Went over the minutes of the upcoming Planning Commission Meeting agenda. Nothing new.
- Went around to the stations to get the number of AED's we have along with their model numbers and serial numbers for Chief Hamming.
- Stopped by Freedom Early Learning Center and gave Kari Huckaby information on fire hand pull protective covers.
- Type up P. R. Event postings and posted them in the stations.
- Type up and distribute the Fire Prevention Committee meeting notes and distributed them to the committee members.
- Type up memo to Doug Stalsonburg, Exxel Engineering, reference fire hydrant placement for Phase 7 at Campus View Townhouses.
- Research the Electrical Code reference the proper mounting of relocatable power taps (fused surge protectors).

- The new Knox Box was installed at the Georgetown Ice Arena. Went there and put the keys in it and locked it up.
- Deputy Chief Poolman and I started work on a presentation for our local churches on what the code requirements are for "Assembly Occupancies". We are looking at this as a proactive approach to these requirements and how they can assist us when they have their special events during the holiday season.
- Met Rob at Georgetown Elementary School to put new keys in their Knox Box.
- Met with the new property manager and maintenance man at Riverbend Apartments.
- Filed inspection reports received from Fire Pros for the businesses that they did in Georgetown Twp.
- Researched and made a listing of all the Churches in Georgetown Township for our upcoming fire safety presentation for these facilities.
- Compile the student count for all the scheduled schools that we'll be visiting during Fire Prevention Week, October 9 - 13.
- Chief Hamming, Capt. McIntyre and I met with John Turner at HME to inspect new Engine 821.

# Georgetown Township Fire Department

## Fire Prevention Bureau

### Monthly Activity Report

September 2006

This month the Fire Prevention Committee members met on Monday the 18<sup>th</sup>. We went over items for the upcoming Fire Prevention Week visits to our local grade schools and our station open house on Thursday, October 12.

Al reported that all the material for the schools was ordered and some of it has arrived with the remainder to be delivered by the 29<sup>th</sup> of this month. When it all arrives Al will contact members to assist with distributing the material to the schools.

There will be different activities at the open house for children and adults. A Fire Safety house will be inside the station to go over safety hazard within a house that children are to be aware of. Safe Kids Lakeshore will have a table with information about car seat safety. Ottawa County Central Dispatch will have a representative there with information on the dispatch center. AMR will have an ambulance and attendants on hand for the attendees to look over. Georgetown Fire will have their equipment set out for the public to look over along with fire fighters there to explain the use of this equipment. There will also be other activities going on at the same time.

Respectfully Submitted,

Lt. Al Feenstra

How Alarms Were Answered - September 2006

