

Georgetown Township Fire Department



Date: July 19, 2007
To: Supervisor Holland
Subject: Monthly Fire Runs

The Georgetown Township Fire Department responded to a total of 37 runs for the month of June 2007, with an average response time of 5.51.

Dan Hamming
Georgetown Township Fire Chief

Georgetown Fire Dept

Incident List by Alarm Date/Time

Alarm Date Between {06/01/2007} And {06/30/2007}

<u>Incident-Exp#</u>	<u>Alm Date</u>	<u>Alm Time</u>	<u>Location</u>	<u>Incident Type</u>
07-0000204-000	06/01/2007	14:05:00	1458 Erin ST	154 Dumpster or other outside tr
07-0000202-000	06/01/2007	20:40:00	28th AVE & Baldwin ST	463 Vehicle accident, general cl
07-0000203-000	06/01/2007	23:00:00	8110 Emberly DR	463 Vehicle accident, general cl
07-0000205-000	06/02/2007	09:35:00	725 Baldwin ST /Jenison,	321 EMS call, excluding vehicle
07-0000206-000	06/02/2007	13:05:00	7310 Windgate DR /Jenison	561 Unauthorized burning
07-0000208-000	06/03/2007	02:37:00	550 Baldwin ST	745 Alarm system activation, no
07-0000207-000	06/03/2007	14:45:00	Port Sheldon ST & 40th AV	131 Passenger vehicle fire
07-0000209-000	06/03/2007	19:11:00	Mile Marker 66 & Chancell	561 Unauthorized burning
07-0000212-000	06/04/2007	10:04:00	Baldwin ST & Park Ridge D	551 Assist police or other gover
07-0000210-000	06/04/2007	13:10:00	56th & Port Sheldon ST	322 Motor vehicle accident with
07-0000211-000	06/04/2007	22:25:00	7522 Pete AVE	444 Power line down
07-0000213-000	06/05/2007	11:02:00	1814 Baldwin ST	321 EMS call, excluding vehicle
07-0000214-000	06/05/2007	13:45:00	8733 Shadowbrook DR	311 Medical assist, assist EMS c
07-0000216-000	06/06/2007	14:43:00	6979 Bridgeport DR	561 Unauthorized burning
07-0000215-000	06/06/2007	18:37:00	725 Baldwin ST	531 Smoke or odor removal
07-0000218-000	06/07/2007	18:43:00	72nd	161 Outside storage fire
07-0000217-000	06/07/2007	22:54:00	20th AVE & Baldwin ST	445 Arcing, shorted electrical e
07-0000219-000	06/08/2007	06:38:00	4482 Port Sheldon ST	745 Alarm system activation, no
07-0000222-000	06/08/2007	06:52:00	6555 Anabelle	111 Building fire
07-0000221-000	06/08/2007	13:03:00	1634 Laramy LN	321 EMS call, excluding vehicle
07-0000223-000	06/08/2007	13:26:00	4644 Port Sheldon ST	444 Power line down
07-0000220-000	06/08/2007	21:11:00	1815 Baldwin ST	131 Passenger vehicle fire
07-0000224-000	06/09/2007	21:55:00	4951 12th AVE	561 Unauthorized burning
07-0000226-000	06/11/2007	00:29:00	949 44th ST	622 No Incident found on arrival
07-0000225-000	06/11/2007	15:19:00	1937 Crabtree LN	733 Smoke detector activation du
07-0000227-000	06/11/2007	19:34:00	3131 Fillmore ST	321 EMS call, excluding vehicle
07-0000228-000	06/12/2007	06:29:00	550 Baldwin ST	700 False alarm or false call, O
07-0000232-000	06/12/2007	14:12:00	7261 Coconut DR	600 Good intent call, Other
07-0000229-000	06/12/2007	14:32:00	Port Sheldon ST & 40th AV	463 Vehicle accident, general cl
07-0000231-000	06/12/2007	18:32:00	36th AVE & Bauer RD	411 Gasoline or other flammable
07-0000230-000	06/12/2007	23:21:00	Adams & 8th AVE	571 Cover assignment, standby, m
07-0000233-000	06/13/2007	10:00:00	2317 Pine ST /Jenison, MI	321 EMS call, excluding vehicle
07-0000236-000	06/13/2007	14:50:00	Lamar Park	361 Swimming/recreational water
07-0000234-000	06/13/2007	16:27:00	794 Chicago DR	463 Vehicle accident, general cl
07-0000235-000	06/13/2007	17:41:00	8484 Corsica DR	622 No Incident found on arrival
07-0000237-000	06/14/2007	10:12:00	1937 Sugar Creek	112 Fires in structure other tha
07-0000238-000	06/14/2007	10:20:00	841 Baldwin ST	444 Power line down
07-0000240-000	06/15/2007	16:18:00	7688 Deer Track	111 Building fire
07-0000239-000	06/15/2007	21:40:00	9510 48th AVE	151 Outside rubbish, trash or wa
07-0000241-000	06/16/2007	18:45:00	Blair ST & Lynn Ann DR	600 Good intent call, Other
07-0000242-000	06/17/2007	15:12:00	Cottonwood DR & Bauer RD	652 Steam, vapor, fog or dust th
07-0000245-000	06/18/2007	08:23:00	4709 Byron /Jamestown, MI	611 Dispatched & cancelled en ro
07-0000244-000	06/18/2007	10:13:00	7636 Hazel DR /Jenison, M	251 Excessive heat, scorch burns
07-0000243-000	06/18/2007	16:56:00	Church CT & Church ST	442 Overheated motor
07-0000247-000	06/19/2007	12:04:00	935 Oakcrest LN	321 EMS call, excluding vehicle
07-0000246-000	06/19/2007	13:42:54	44th AVE & 8th AVE	444 Power line down
07-0000248-000	06/19/2007	17:08:00	7551 Belvue LN	611 Dispatched & cancelled en ro

Georgetown Fire Dept

Incident List by Alarm Date/Time

Alarm Date Between {06/01/2007} And {06/30/2007}

Incident-Exp#	Alm Date	Alm Time	Location	Incident Type
07-0000249-000	06/19/2007	18:33:00	6610 Meadowlark DR	321 EMS call, excluding vehicle
07-0000250-000	06/21/2007	15:11:00	8th AVE & 44th ST	400 Hazardous condition, Other
07-0000252-000	06/21/2007	15:33:00	Chicago DR & Cottonwood D	463 Vehicle accident, general cl
07-0000258-000	06/21/2007	20:37:00	7811 Cardinal DR /Jenison	131 Passenger vehicle fire
07-0000251-000	06/21/2007	23:31:00	44th ST & Kenowa AVE	141 Forest, woods or wildland fi
07-0000253-000	06/22/2007	05:19:00	7411 Boulder Bluff DR	424 Carbon monoxide incident
07-0000255-000	06/22/2007	12:03:00	954 Rosewood ST	600 Good intent call, Other
07-0000254-000	06/22/2007	12:51:00	20th AVE & Baldwin ST	463 Vehicle accident, general cl
07-0000256-000	06/23/2007	14:13:00	84 Sunnybrook DR	561 Unauthorized burning
07-0000257-000	06/23/2007	16:16:00	1300 Astro CT /Jenison, M	561 Unauthorized burning
07-0000260-000	06/25/2007	09:06:00	40th AVE & Baldwin ST	352 Extrication of victim(s) fro
07-0000263-000	06/25/2007	21:40:00	1293 Rosewood ST	631 Authorized controlled burnin
07-0000259-000	06/25/2007	23:42:00	Port Sheldon ST & 40th AV	413 Oil or other combustible liq
07-0000261-000	06/26/2007	08:27:00	7525 Main ST	322 Motor vehicle accident with
07-0000262-000	06/26/2007	10:40:00	12th AVE & Baldwin ST	463 Vehicle accident, general cl
07-0000264-000	06/27/2007	08:08:00	7824 Park Ridge DR	814 Lightning strike (no fire)
07-0000265-000	06/27/2007	20:45:00	7416 Pine Grove DR	321 EMS call, excluding vehicle
07-0000267-000	06/28/2007	18:58:00	Chicago DR & Main ST	251 Excessive heat, scorch burns
07-0000268-000	06/29/2007	02:30:00	9981 Bend DR	440 Electrical wiring/equipment
07-0000269-000	06/29/2007	10:00:00	1055 Jackson ST	600 Good intent call, Other
07-0000270-000	06/30/2007	09:34:00	Village LN & Cottonwood D	631 Authorized controlled burnin
07-0000271-000	06/30/2007	22:35:00	7453 Shadbleau DR	561 Unauthorized burning

Total Incident Count 69

Georgetown Fire Dept

Incident Type Report (Summary)

Alarm Date Between {06/01/2007} And {06/30/2007}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
1 Fire				
111 Building fire	2	2.89%	\$0	0.00%
112 Fires in structure other than in a building	1	1.44%	\$0	0.00%
131 Passenger vehicle fire	3	4.34%	\$0	0.00%
141 Forest, woods or wildland fire	1	1.44%	\$0	0.00%
151 Outside rubbish, trash or waste fire	1	1.44%	\$0	0.00%
154 Dumpster or other outside trash receptacle	1	1.44%	\$0	0.00%
161 Outside storage fire	1	1.44%	\$0	0.00%
	10	14.49%	\$0	0.00%
2 Overpressure Rupture, Explosion, Overheat(no fire)				
251 Excessive heat, scorch burns with no	2	2.89%	\$0	0.00%
	2	2.89%	\$0	0.00%
3 Rescue & Emergency Medical Service Incident				
311 Medical assist, assist EMS crew	1	1.44%	\$0	0.00%
321 EMS call, excluding vehicle accident with	8	11.59%	\$0	0.00%
322 Motor vehicle accident with injuries	2	2.89%	\$0	0.00%
352 Extrication of victim(s) from vehicle	1	1.44%	\$0	0.00%
361 Swimming/recreational water areas rescue	1	1.44%	\$0	0.00%
	13	18.84%	\$0	0.00%
4 Hazardous Condition (No Fire)				
400 Hazardous condition, Other	1	1.44%	\$0	0.00%
411 Gasoline or other flammable liquid spill	1	1.44%	\$0	0.00%
413 Oil or other combustible liquid spill	1	1.44%	\$0	0.00%
424 Carbon monoxide incident	1	1.44%	\$0	0.00%
440 Electrical wiring/equipment problem, Other	1	1.44%	\$0	0.00%
442 Overheated motor	1	1.44%	\$0	0.00%
444 Power line down	4	5.79%	\$0	0.00%
445 Arcing, shorted electrical equipment	1	1.44%	\$0	0.00%
463 Vehicle accident, general cleanup	7	10.14%	\$0	0.00%
	18	26.08%	\$0	0.00%
5 Service Call				
531 Smoke or odor removal	1	1.44%	\$0	0.00%
551 Assist police or other governmental agency	1	1.44%	\$0	0.00%
561 Unauthorized burning	7	10.14%	\$0	0.00%
571 Cover assignment, standby, moveup	1	1.44%	\$0	0.00%

Georgetown Fire Dept

Incident Type Report (Summary)

Alarm Date Between {06/01/2007} And {06/30/2007}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
	10	14.49%	\$0	0.00%
6 Good Intent Call				
600 Good intent call, Other	4	5.79%	\$0	0.00%
611 Dispatched & cancelled en route	2	2.89%	\$0	0.00%
622 No Incident found on arrival at dispatch	2	2.89%	\$0	0.00%
631 Authorized controlled burning	2	2.89%	\$0	0.00%
652 Steam, vapor, fog or dust thought to be	1	1.44%	\$0	0.00%
	11	15.94%	\$0	0.00%
7 False Alarm & False Call				
700 False alarm or false call, Other	1	1.44%	\$0	0.00%
733 Smoke detector activation due to	1	1.44%	\$0	0.00%
745 Alarm system activation, no fire -	2	2.89%	\$0	0.00%
	4	5.79%	\$0	0.00%
8 Severe Weather & Natural Disaster				
814 Lightning strike (no fire)	1	1.44%	\$0	0.00%
	1	1.44%	\$0	0.00%
Total Incident Count:	69		Total Est Loss:	\$0

Georgetown Fire Department

Maintenance Report

June 2007

Calls

MS: 5
Alarms: 2
CO:
Spills: 4
Others: 5

Parks and Cemetery

(0) hours with Rod

Miscellaneous

Mow stations
Fix sprinklers at station 2
Spread black dirt for new grass at station 2 and 3
Work on replacing rocks around station 1
Assist Zeeland twp with insulation machine
Replenish oxygen supplies
New lens for parking lot light at station 3
New light bulbs in parking lot station 3
Help Pam with email at Senior Center
Get 825 to community garage for service
Have all fire trucks serviced for annual maintenance
Plant grass seed and work on front lawn at station 2
Paint at station 2
Work on air conditioner at station 2
Replace some sprinkler heads at station 1
Check air conditioning at station 1
Replenish oil dry supplies for station 1 and 3
Repair burned out light on air compressor system
Helped water sewer with clean out of Lupine lift station
Replaced boiler motor and cast iron assembly at station 3
Repair exhaust hose at station 3
Weed stations and spray round up
Replace filters in shop vacuums for all stations
Locate new O2 wrench for station 2
Assist with road training course
Adjust sprinklers at station 1
Refill air bottles for station 2
Service outdoor Generators at all stations
Test CO monitors

Georgetown Township Fire Department Fire Inspector Activity Report

June 2007

Calls

FIRE:	08
ALARM:	02
MEDICAL:	05
PI:	01
PI PIN-IN:	02
CO:	
U-BURN:	01
SPILL:	06
OTHER:	05
TOTAL:	30

Inspections

MAINTENANCE:	20
FOLLOW UP:	21
COMMERCIAL WITH PCI:	12
ZONING COMPLIANCE:	01
TOTAL:	54

Education

Fire Investigation and Follow Up

Other

- Met with Chief Hamming and Matty at Station 3 for our monthly staff meeting.
- Delivered the updated complex maps of Grand Valley Apartments to Stations 1 & 2.
- Researched the fire codes on the requirements of Aerosol Storage.
- Researched the fire codes on the requirements of Rolling Fire Doors.
- Had a request from Mr. Art Birdsley on what was required by the business owner and/or the building owner for maintaining fire extinguishers and fire suppression systems. I made copies of NFPA 10 & 25 and faxed them to him.
- Followed up on a citizen complaint of the smoke coming from a local factory that was making their employees sick.
- Filed inspection reports received from Vanguard Fire and Security.
- Wrote a follow up letter to a local business about correcting the deficiencies that were found during the biyearly inspection done by their contracted fire protection company.
- Met with Les McElwee at Sunset Manor reference the requirements of the Automatic Sprinkler System Code, NFPA 13, on the distance requirements a sprinkler head could be to a bulkhead.
- Follow up on a citizens concern about a brush fire on 24th Avenue. Everything checked out ok.
- Posted MDOT road closure notices at the fire stations.
- Plan Review – (SUP0704) Grandville Christian Fellowship Church, 3668 Port Sheldon Road.
- Plan Review – (PUD0702) Lowing Woods amended PUD Plan.
- Plan Review – (PUD0406-05) Lowing Woods Final Development Plan for Phase 5.
- Follow up on the water flow alarms we have been receiving from Meijer. Contacted Mr. John Mueller at EPS and he would have it checked out. He contacted me back and found out that a check valve in the system was stuck open allowing the water to flow back and forth causing the systems to go into alarm. He contacted Meijer loss prevention supervisor and they would have the contracted fire protection company take care of the problem. We have not received any false trips since then.
- Chief Hamming and I met with Mike Marlowe, Director of Operations for Sunset Manor, reference the problem of the residence in Village 2 burning their food and setting off the smoke alarms. Mike will be taking our concern to the powers at be at Sunset and will be getting back to us.
- Replaced blown siren speakers on 871 & 883 with new ones.
- Record emergency contacts and also faxed these to Central Dispatch.
- Drop off Engine 825 at Community Garage for its yearly maintenance check.

- Assist Lt. Ryan Tibbets with setting up the driving course at Fair Haven Ministries parking lot for our yearly state driving qualifications.
- Plan Review – (SUP0704) Revised plan for Grandville Christian Fellowship Church, 3668 Port Sheldon Road.
- Worked as a State Fire Academy Evaluator at the Wyoming Fire Academy final practical exam on Thursday the 21st. This was for evaluating the new recruits on how well they had learned the practical skills over the past four months. Georgetown had two new recruits attend this academy and both passed their practical test this day.
- Stopped by the Soccer Zone and talked to the individuals in charge of their league using the soccer field at 14th Avenue and 44th Street. The players are using the fire station lot as the field parking lot. The individuals at Soccer Zone informed me that these teams were told verbally and via email that the fire station lot was off limits and that they are to park in the church parking lot to the west of this field. They told me that they would contact these teams again via email. I informed Soccer Zone that next time the OCSD would be called along with a wrecker service to impound these vehicles.
- Worked with Henry DeVries, Georgetown Township Assessor, and Dave Fontaine, OCCDA, on what streets needed to be named in the new complex going in on the northwest corner of 36th Avenue and Baldwin Street.
- Worked on 871's mobile radio wiring.
- Assisted Matty with working on Station 3 boiler problem. Replaced the water pump.
- Checked out the brush pile that Wellspring Church was burning.

Georgetown Township Fire Department

Fire Prevention Bureau

Monthly Activity Report

June 2007

8th – On this night Rosewood Reformed Church held a benefit dinner for one of their parishioners. The fire department was asked to participate by bringing out the aerial truck for those attending to look at. We had over one hundred parents and children come out to look over the truck and all the equipment we carry on it. The children, and some of the parents, sat inside the truck where the fire fighters sit going to a fire. There was a great time had by all and above all the weather was great.

How Alarms Were Answered - June 2007

